

KLAMATH R BL IRON GATE DAM CA
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX	ACCUM	
												PRECIP	PRECIP
10/1/2000	1320	16.7	17.9	6.8	6.9			179	182	46	79	0.00	0.00
10/2/2000	1320	16.7	18	6.8	6.9			178	182	42	79	0.00	0.00
10/3/2000	1310	16.5	17.2	6.7	6.8			180	183	36	83	0.00	0.00
10/4/2000	1320	16.2	17.2	6.7	7			178	183	34	84	0.00	0.00
10/5/2000	1320	16.1	16.8	6.8	6.9	5.5	6.5	178	183	37	86	0.00	0.00
10/6/2000	1330	15.7	16.7	6.8	6.9	5.0	5.9	183	186	36	89	0.00	0.00
10/7/2000	1320	15.7	16.5	6.8	6.8	4.9	5.7	186	188	37	89	0.00	0.00
10/8/2000	1330	15.7	16.5	6.8	6.9			188	190	39	87	0.00	0.00
10/9/2000	1340	15.3	16.2	6.8	6.9	4.7	7.3	189	195	40	55	0.07	0.07
10/10/2000	1330	15.2	15.7	6.9	6.9	4.4	5	194	198	42	51	0.05	0.12
10/11/2000	1320	14.9	15.3	6.8	6.9	4.3	5	194	198	40	57	0.01	0.13
10/12/2000	1320	14.7	15.1	6.8	6.9	4.4	5.1	195	197	35	63	0.00	0.13
10/13/2000	1320	14.6	15.2	6.8	6.9	4.3	5	195	198	40	66	0.00	0.13
10/14/2000	1320	14.5	15.2	6.8	6.9	4.4	4.9	196	198	36	70	0.00	0.13
10/15/2000	1320	14.3	14.9	6.8	6.9			196	198	33	70	0.00	0.13
10/16/2000	1320	14.1	14.9	6.8	6.9			197	198	31	74	0.00	0.13
10/17/2000	1330	14	14.8	6.8	6.9			197	199	32	77	0.00	0.13
10/18/2000	1330	13.8	14.5	6.8	6.9			197	198	36	69	0.00	0.13
10/19/2000	1330	13.7	14.4	6.8	6.9			197	198	35	74	0.00	0.13
10/20/2000	1340	13.6	14.1	6.8	6.9			192	203	42	61	0.10	0.23
10/21/2000	1330	13.3	14	6.9	7			198	203	33	52	0.00	0.23
10/22/2000	1330	12.9	13.6	6.9	7			196	199	30	63	0.01	0.24
10/23/2000	1330	12.7	13.3	6.9	6.9			194	197	29	68	0.00	0.24
10/24/2000	1320	12.3	13.3	6.9	7			193	194	28	72	0.00	0.24
10/25/2000	1320	12.6	13	6.9	6.9			190	194	39	62	0.00	0.24
10/26/2000	1320	12.3	12.9	6.9	7	4.2	4.9	190	193	33	69	0.00	0.24
10/27/2000	1330	12.1	12.7	6.9	7	4.3	4.9	191	192	28	64	0.00	0.24
10/28/2000	1340	11.7	12.4	6.9	7	4.2	5.2	185	200	36	55	0.14	0.38
10/29/2000	1330	11.7	12.2	6.9	7	4.4	5.2	188	197	37	56	0.00	0.38
10/30/2000	1330	11.6	12.3	6.9	7	4.6	5.2	188	190	33	60	0.01	0.39
10/31/2000	1330	11.3	11.9	7	7.1	4.8	5.3	188	189	28	60	0.00	0.39
11/1/2000	1330	11.2	11.5	7	7.1	4.5	5.2	186	188	29	50	0.00	0.39
11/2/2000	1330	11.3	11.8	7	7.1			185	186	36	58	0.00	0.39
11/3/2000	1340	11	11.6	7	7			183	185	34	67	0.00	0.39
11/4/2000	1340	10.8	11.5	7	7			181	184	31	63	0.00	0.39
11/5/2000	1340	11	11.2	7	7			181	184	37	59	0.00	0.39
11/6/2000	1340	10.5	11.2	7	7.1			181	183	30	51	0.00	0.39
11/7/2000	1340	10.1	10.6	7	7			178	182	25	51	0.00	0.39
11/8/2000	1340	10.3	10.9	7	7.1			178	180	33	56	0.02	0.41
11/9/2000	1340	9.7	10.4	6.9	7			177	180	26	44	0.02	0.43
11/10/2000	1340	9.4	10	7	7.1			174	177	23	47	0.00	0.43
11/11/2000	1330	9	9.6	7	7.1			174	175	16	49	0.00	0.43
11/12/2000	1330	8.8	9.4	7	7.1			172	174	17	50	0.00	0.43
11/13/2000	1330	8.7	9.1	7	7.1			171	174	19	38	0.03	0.46
11/14/2000	1330	8.9	9.1	7	7.1			170	172	31	39	0.02	0.48
11/15/2000	1320	8.8	9.2	7	7.1			161	171	29	44	0.00	0.48
11/16/2000	1300	8.3	8.9	7.1	7.1	6.7	7.2	166	167	22	50	0.00	0.48
11/17/2000	1300	8	8.6	7	7.1	6.9	7.2	165	166	16	49	0.00	0.48
11/18/2000	1300	7.8	8.4	6.9	7.1	6.9	7.2	164	165	16	50	0.00	0.48
11/19/2000	1290	7.8	8.2	6.9	7	7.0	7.3	164	165	19	43	0.00	0.48
11/20/2000	1300	7.7	8.2	6.9	7	7.0	7.3	164	165	18	50	0.00	0.48
11/21/2000	1300	7.5	8.1	6.9	7	7.0	7.4	164	164	20	56	0.00	0.48
11/22/2000	1300	7.4	7.9	6.9	7	7.1	7.4	164	164	18	54	0.00	0.48
11/23/2000	1300	7.3	7.7	6.8	7	7.2	7.6	164	164	22	43	0.01	0.49
11/24/2000	1300	7.2	7.5	6.7	6.8	7.2	7.6	163	164	25	51	0.00	0.49
11/25/2000	1310	7.3	7.6	6.6	6.8	7.4	8.1	163	164	30	45	0.00	0.49
11/26/2000	1310	7.2	7.5	6.6	6.7	7.7	8.1	163	164	30	42	0.00	0.49
11/27/2000	1310	7.1	7.5	6.7	6.7	7.8	8.4	162	163	31	52	0.00	0.49
11/28/2000	1300	7.2	7.6	6.7	6.8	7.9	8.3	163	164	33	53	0.00	0.49
11/29/2000	1300	6.8	7.3	6.6	6.7	8.0	8.8	162	164	34	51	0.07	0.56
11/30/2000	1290	6.7	7.1	6.5	6.6	8.2	8.7	163	164	27	52	0.00	0.56
12/1/2000	1290	6.4	6.8	6.5	6.6	8.4	9	163	164	26	49	0.00	0.56
12/2/2000	1290	6.3	6.8	6.6	6.7	8.7	9.2	163	163	25	53	0.00	0.56
12/3/2000	1290	6.3	6.7	6.7	6.7	8.9	9.4	163	164	25	51	0.00	0.56
12/4/2000	1300	6.1	6.4	6.5	6.7	8.9	9.3	163	166	21	52	0.00	0.56
12/5/2000	1300	5.9	6.2	6.5	6.6	9.0	9.5	164	166	21	55	0.00	0.56
12/6/2000	1290	5.7	6.2	6.6	6.7	9.2	9.7	163	165	21	56	0.00	0.56
12/7/2000	1290	5.7	6.2	6.4	6.7	9.3	9.9	163	164	22	48	0.00	0.56
12/8/2000	1290	5.8	6.1	6.4	6.7	9.4	9.9	163	164	26	49	0.00	0.56
12/9/2000	1290	6	6.2	6.5	6.7	9.4	10	163	164	32	45	0.05	0.61
12/10/2000	1290	5.7	6.1	6.5	6.8	9.7	10.1	163	164	21	49	0.00	0.61
12/11/2000	1290	5.6	5.8	6.7	6.8	9.8	10.3	163	164	25	37	0.03	0.64
12/12/2000	1290	5.6	5.9	6.7	6.8	9.9	10.7	163	164	29	46	0.00	0.64
12/13/2000	1290	5.4	5.9	6.8	6.8	9.4	9.9	163	168	30	46	0.14	0.78
12/14/2000	1290	5.3	5.6	6.8	6.8	9.1	9.7	164	172	33	48	0.01	0.79

KLAMATH R BL IRON GATE DAM CA
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX	PRECIP	ACCUM PRECIP
12/15/2000	1290	5.2	5.8	6.8	6.8	9.4	9.8	167	168	29	46	0.00	0.79
12/16/2000	1290	5.3	5.7	6.8	6.8	9.5	9.9	165	167	25	51	0.00	0.79
12/17/2000	1290	5.2	5.6	6.8	6.8	9.6	10	164	165	23	46	0.00	0.79
12/18/2000	1290	5	5.4	6.8	6.9	9.7	10	164	165	17	49	0.00	0.79
12/19/2000	1290	5.2	5.5	6.9	6.9	9.7	10.1	162	164	26	51	0.00	0.79
12/20/2000	1290	5.2	5.4	6.9	7	9.9	10.2	162	163	27	47	0.00	0.79
12/21/2000	1290	5	5.4	6.9	6.9	9.9	10.4	162	164	26	52	0.00	0.79
12/22/2000	1290	5.1	5.4	6.9	7	10.1	10.4	162	164	28	52	0.00	0.79
12/23/2000	1290	5	5.3	6.9	7	10.1	10.4	162	162	28	43	0.01	0.80
12/24/2000	1290	4.9	5.3	6.9	7	10.1	10.4	161	162	24	47	0.00	0.80
12/25/2000	1290	4.7	5.1	6.9	7	10.2	10.5	161	162	20	48	0.01	0.81
12/26/2000	1290	4.6	5	6.9	6.9	10.2	10.5	162	162	19	52	0.00	0.81
12/27/2000	1290	4.7	5	6.9	7	10.2	10.5	162	164	22	45	0.00	0.81
12/28/2000	1290	4.5	4.9	6.9	7	10.3	10.6	162	163	17	53	0.00	0.81
12/29/2000	1290	4.4	4.8	6.9	7.1	10.2	10.6	162	163	18	47	0.00	0.81
12/30/2000	1290	4.3	4.7	7	7.1	9.6	10.6	161	163	13	51	0.00	0.81
12/31/2000	1290	4.4	4.7	7	7.1	10.1	10.6	161	162	21	53	0.00	0.81
1/1/2001	1300	4.4	4.7	7	7.1	10.3	10.6	162	163	23	56	0.00	0.81
1/2/2001	1300	4.4	4.8	7	7.1	10.3	10.6	161	162	24	60	0.00	0.81
1/3/2001	1290	4.3	4.7	7	7.6	10.3	10.8	161	164	22	47	0.00	0.81
1/4/2001	1290	4.3	4.7	7.4	7.5	10.4	10.6	164	164	23	60	0.00	0.81
1/5/2001	1290	4.3	4.6	7.4	7.5	10.4	10.7	164	165	26	50	0.00	0.81
1/6/2001	1290	4.3	4.6	7.4	7.5	10.4	10.6	164	165	26	54	0.00	0.81
1/7/2001	1290	4.2	4.6	7.4	7.5	10.4	10.7	165	166	24	58	0.00	0.81
1/8/2001	1290	4.4	4.6	7.4	7.5	10.3	10.6	165	166	33	50	0.00	0.81
1/9/2001	1290	4.3	4.5	7.4	7.6	10.1	10.5	166	166	27	43	0.01	0.82
1/10/2001	1290	4.2	4.4	7.5	7.6	10.1	10.4	166	166	23	45	0.01	0.83
1/11/2001	1290	4.2	4.5	7.5	7.6	10.1	10.4	166	166	29	39	0.05	0.88
1/12/2001	1290	4.4	4.5	7.5	7.6	10.1	10.4	166	167	33	45	0.00	0.88
1/13/2001	1290	4.3	4.5	7.5	7.6	9.9	10.4	167	167	27	45	0.02	0.90
1/14/2001	1290	4.2	4.5	7.5	7.6	9.5	10.5	167	177	25	42	0.00	0.90
1/15/2001	1290	4	4.4	7.5	7.6	10.2	10.5	167	168	20	44	0.00	0.90
1/16/2001	1290	3.8	4.3	7.5	7.6	10.3	10.6	167	168	15	51	0.00	0.90
1/17/2001	1300	3.7	4.2	7.5	7.6	10.4	10.7	167	168	13	46	0.00	0.90
1/18/2001	1290	3.8	4.2	7.6	7.6	10.5	10.9	167	168	21	41	0.00	0.90
1/19/2001	1320	3.8	4.2	7.6	7.7	10.7	11	167	168	23	55	0.00	0.90
1/20/2001	1290	3.7	4	7.6	7.8	10.8	11	167	167	20	40	0.00	0.90
1/21/2001	1290	3.7	4.1	7.7	7.8	11.0	11.3	166	167	32	54	0.00	0.90
1/22/2001	1290	3.8	4.2	7.7	7.8	10.9	11.2	166	167	29	61	0.00	0.90
1/23/2001	1290	3.9	4.3	7.6	7.8	10.1	11.1	167	172	30	50	0.03	0.93
1/24/2001	1300	4	4.3	7.7	7.8	10.4	10.8	167	169	27	44	0.07	1.00
1/25/2001	1300	3.9	4.2	7.7	7.8	10.2	10.8	168	170	29	44	0.00	1.00
1/26/2001	1290	3.8	4.2	7.7	7.8	10.6	10.9	168	169	24	52	0.00	1.00
1/27/2001	1290	3.7	4.2	7.7	7.8	10.6	11	168	170	22	50	0.00	1.00
1/28/2001	1290	3.6	4.2	7.7	7.8	10.7	11.1	168	169	16	61	0.00	1.00
1/29/2001	1290	3.9	4.3	7.7	7.8	10.7	11.2	168	168	28	43	0.00	1.00
1/30/2001	1290	3.7	4.2	7.7	7.8	10.9	11.2	167	168	15	45	0.00	1.00
1/31/2001	1290	3.6	4.2	7.7	7.9	10.8	11.2	167	168	15	47	0.00	1.00
2/1/2001	1290	3.7	4.2	7.8	7.9	10.5	11.2	167	168	20	48	0.00	1.00
2/2/2001	1290	4	4.4	7.8	7.9	10.9	11.2	167	168	35	52	0.01	1.01
2/3/2001	1290	4.1	4.3	7.8	7.9	10.9	11.3	167	168	34	49	0.01	1.02
2/4/2001	1300	4.2	4.4	7.8	7.9	10.8	11.1	167	168	41	47	0.00	1.02
2/5/2001	1300	4.1	4.7	7.8	8	10.8	11.1	160	168	29	60	0.00	1.02
2/6/2001	1300	4	4.3	7.9	8	11.0	11.4	161	162	25	40	0.00	1.02
2/7/2001	1300	3.8	4.3	7.9	8	10.8	11.3	162	163	19	43	0.00	1.02
2/8/2001	1300	3.7	4.1	7.9	8	10.9	11.2	162	163	15	38	0.00	1.02
2/9/2001	1300	3.9	4.1	7.9	8	10.8	11.1	163	164	26	37	0.05	1.07
2/10/2001	1300	3.9	4.3	7.8	8	10.7	11.1	163	165	26	44	0.00	1.07
2/11/2001	1300	3.8	4.4	7.8	7.9	10.7	11.1	164	165	20	47	0.08	1.15
2/12/2001	1300	3.7	4.4	7.8	7.9	10.6	11	165	166	16	43	0.00	1.15
2/13/2001	1300	3.6	4.4	7.8	7.9	10.6	11	166	166	20	51	0.00	1.15
2/14/2001	1300	3.8	4.5	7.8	7.9	10.6	10.9	166	167	20	56	0.00	1.15
2/15/2001	1300	3.8	4.4	7.8	7.9	10.4	10.9	167	168	17	50	0.00	1.15
2/16/2001	1300	4.1	4.6	7.8	7.9	10.3	10.8	167	168	25	52	0.00	1.15
2/17/2001	1300	4.2	4.8	7.8	7.9	10.3	10.8	167	168	34	63	0.00	1.15
2/18/2001	1300	4.2	4.6	7.8	7.9	10.3	10.9	167	170	28	51	0.00	1.15
2/19/2001	1300	4.3	4.8	7.8	7.9	10.2	10.7	167	169	33	55	0.00	1.15
2/20/2001	1300	4.3	4.8	7.8	7.9	10.4	10.8	167	169	31	54	0.00	1.15
2/21/2001	1300	4.4	4.9	7.8	7.8	10.4	10.8	168	168	37	55	0.01	1.16
2/22/2001	1300	4.4	4.6	7.8	7.8	10.3	10.7	168	169	31	40	0.03	1.19
2/23/2001	1300	4.3	4.8	7.8	7.8	9.8	10.8	168	170	31	45	0.02	1.21
2/24/2001	1300	4.4	4.8	7.8	7.9	10.0	10.6	169	170	27	43	0.00	1.21
2/25/2001	1300	4.3	5.1	7.8	7.9	10.4	10.9	169	170	23	56	0.00	1.21
2/26/2001	1290	4.4	5.5	7.8	8	10.6	11.3	169	170	21	59	0.00	1.21
2/27/2001	1270	4.7	5.5	7.9	8	10.8	11.6	168	169	24	62	0.00	1.21
2/28/2001	1280	4.5	5.4	7.9	8.1	11.1	11.6	168	169	20	57	0.00	1.21

KLAMATH R BL IRON GATE DAM CA
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX	PRECIP	ACCUM PRECIP
3/1/2001	1280	4.7	5.1	7.7	8.1	9.3	11.7	168	169	21	49	0.01	1.22
3/2/2001	1290	4.8	5.4	7.8	8	10.8	11.7	168	170	23	48	0.03	1.25
3/3/2001	1280	4.6	5.1	7.8	8	11.2	11.7	168	170	19	42	0.00	1.25
3/4/2001	1280	4.8	5.2	7.8	8	10.9	11.6	167	169	33	49	0.04	1.29
3/5/2001	1290	4.8	5.6	7.8	7.9	10.7	11.6	167	172	32	59	0.00	1.29
3/6/2001	1290	4.8	5.5	7.8	8	10.8	11.3	168	172	27	79	0.00	1.29
3/7/2001	1280	4.9	6.5	7.9	8.3	10.9	12.5	167	169	28	74	0.00	1.29
3/8/2001	1280	5.6	7.2	8.2	8.7	11.9	13.5	165	167	34	52	0.00	1.29
3/9/2001	1280	6	6.7	8.3	8.5	12.0	12.7	164	166	27	47	0.00	1.29
3/10/2001	1280	5.5	6.9	8.2	8.4	11.8	12.5	164	165	21	53	0.00	1.29
3/11/2001	1280	5.5	6.9	8.2	8.5	11.1	12.1	164	165	26	58	0.00	1.29
3/12/2001	1280	5.5	6.8	8.2	8.4	10.8	12.4	164	165	26	70	0.00	1.29
3/13/2001	1280	5.7	7.4	8.3	8.6	8.7	11.8	164	165	25	67	0.00	1.29
3/14/2001	1290	6.2	7.3	8.4	8.5	7.7	11	164	166	26	61	0.00	1.29
3/15/2001	1280	6	6.7	8.3	8.5	7.3	9.3	164	165	28	54	0.00	1.29
3/16/2001	1290	6	7.2	8.3	8.6	7.9	9.2	164	166	27	56	0.00	1.29
3/17/2001	1290	6.6	7.4	8.4	8.5			165	168	39	53	0.02	1.31
3/18/2001	1290	6.8	7.7	8.3	8.5			167	168	39	69	0.00	1.31
3/19/2001	1290	6.8	7.6	8.2	8.4			167	169	44	66	0.00	1.31
3/20/2001	1290	6.8	7.8	8.2	8.4			168	169	42	66	0.00	1.31
3/21/2001	1290	7.1	8.6	8.1	8.3			169	172	43	77	0.00	1.31
3/22/2001	1290	7.8	8.8	8.1	8.2			171	174	32	83	0.01	1.32
3/23/2001	1290	7.5	9.2	7.8	8.2			172	176	40	77	0.00	1.32
3/24/2001	1290	5.8	9.3	7.8	8.1			166	176	44	67	0.01	1.33
3/25/2001	1300	6.1	8.8	7.8	8.1			167	176	34	58	0.02	1.35
3/26/2001	1300	8	9.7	7.8	8.1			175	177	28	54	0.00	1.35
3/27/2001	1300	8.3	9.1	7.8	8.1			175	177	28	73	0.05	1.40
3/28/2001	1300	8.4	9.5	7.8	8			175	178	39	68	0.00	1.40
3/29/2001	1300	8.9	10.9	7.8	8.1			177	179	40	67	0.00	1.40
3/30/2001	1300	8.7	11.1	7.8	8			177	179	30	68	0.00	1.40
3/31/2001	1300	9.1	11.2	7.6	7.8			176	182	33	68	0.00	1.40
4/1/2001	1300	9.1	11.3	7.7	8			177	181	33	67	0.00	1.40
4/2/2001	1300	8.9	10.5	7.7	8.1			178	182	29	45	0.03	1.43
4/3/2001	1300	8.6	10.3	8	8.1	8.0	8.5	181	183	29	48	0.00	1.43
4/4/2001	1300	8.8	10.6	8	8.1	8.0	8.6	181	182	21	58	0.00	1.43
4/5/2001	1300	8.8	10.1	8	8.1	8.0	8.5	179	182	22	64	0.00	1.43
4/6/2001	1370	8.8	9.7	8	8.1	7.9	9.3	180	184	33	48	0.08	1.51
4/7/2001	1670	8.6	10.1	8	8.1	7.8	8.1	181	186	31	45	0.00	1.51
4/8/2001	1670	8.9	9.8	8	8.1	7.8	8.3	180	184	25	52	0.00	1.51
4/9/2001	1670	8.7	10.6	8	8.1	8.0	8.4	179	181	21	53	0.00	1.51
4/10/2001	1670	8.8	9.7	8.1	8.2	7.8	8.3	179	181	29	52	0.00	1.51
4/11/2001	1670	8.9	10.2	8	8.2	7.8	8.3	178	181	33	51	0.01	1.52
4/12/2001	1670	8.9	9.6	8.1	8.2	7.7	8.3	179	181	27	58	0.00	1.52
4/13/2001	1670	9.2	10.6	8.1	8.2	7.7	8.2	180	184	33	52	0.00	1.52
4/14/2001	1680	8.9	10.2	8	8.2	7.5	8.2	180	184	23	64	0.00	1.52
4/15/2001	1680	8.7	10	8	8.2	7.4	8.1	178	183	30	68	0.00	1.52
4/16/2001	1670	7.8	10	8	8.2	7.5	8.1	171	183	34	66	0.00	1.52
4/17/2001	1670	8.2	10.2	8	8.2	7.6	8.3	173	180	44	67	0.01	1.53
4/18/2001	1680	9.4	9.8	8	8.1	7.3	8.3	177	181	41	47	0.13	1.66
4/19/2001	1680	9.3	10.6	8	8.2	7.7	8.3	177	184	41	57	0.02	1.68
4/20/2001	1670	9.6	10.7	8.1	8.2	7.5	8.3	180	184	30	66	0.00	1.68
4/21/2001	1670	9.4	11.9	8	8.2	7.8	8.4	181	184	33	61	0.00	1.68
4/22/2001	1670	10	11	8	8.2	7.8	8.5	180	183	32	69	0.00	1.68
4/23/2001	1660	10.1	11.9	8.1	8.2	7.8	8.4	179	183	40	71	0.00	1.68
4/24/2001	1660	10.9	11.9	8.1	8.2	7.7	8.6	177	182	38	83	0.00	1.68
4/25/2001	1670	10.8	12.2	8.1	8.3	7.8	8.7	171	181	42	86	0.00	1.68
4/26/2001	1670	10.8	13.1	8.1	8.3	7.9	9	171	176	46	83	0.00	1.68
4/27/2001	1660	11.7	13.2	8.1	8.3	8.1	9.1	169	174	39	76	0.00	1.68
4/28/2001	1660	11.1	13.1	8.1	8.2	8.3	8.8	167	172	39	61	0.00	1.68
4/29/2001	1660	11.8	12.6	8.1	8.3	8.3	9.2	165	169	32	69	0.00	1.68
4/30/2001	1660	11.2	12.7	8	8.2	8.1	9.4	162	168	43	74	0.00	1.68
5/1/2001	1660	12.1	13.8	8.1	8.3	8.6	9.8	161	167	37	57	0.00	1.68
5/2/2001	1660	11.8	13.6	8	8.3	7.9	8.8	166	175	30	64	0.00	1.68
5/3/2001	1660	12.1	13.8	8	8.3	7.8	8.7	170	199	35	77	0.00	1.68
5/4/2001	1660	12.1	14	7.9	8.3	7.8	8.7	165	198	36	84	0.00	1.68
5/5/2001	1660	12.8	14.3	8	8.3	7.9	8.7	172	185	41	73	0.00	1.68
5/6/2001	1660	12.9	14.8	8	8.3	7.8	8.8	167	180	35	80	0.00	1.68
5/7/2001	1660	13.3	14.5	7.9	8.3	7.1	8.7	165	171	38	91	0.00	1.68
5/8/2001	1660	13.6	15.8	7.9	8.3	6.6	8.8	161	167	42	89	0.00	1.68
5/9/2001	1660	14.1	16	8	8.4	6.8	8.5	158	164	41	82	0.00	1.68
5/10/2001	1670	14.2	15.6	8	8.4	7.5	8.6	155	161	36	87	0.00	1.68
5/11/2001	1690	13.5	15.4	7.9	8.4	7.1	8.4	154	158	41	94	0.00	1.68
5/12/2001	1670	13.8	15.8	7.9	8.4	7.2	8.3	152	168	50	87	0.00	1.68
5/13/2001	2070	15.1	16.8	8.1	8.4	7.8	8.4	151	155	42	83	0.00	1.68
5/14/2001	2010	15.6	16.1	8.1	8.3	7.5	8	152	155	49	66	0.05	1.73
5/15/2001	1880	15.4	15.7	8.1	8.2	7.7	8.1	155	174	51	62	0.10	1.83

KLAMATH R BL IRON GATE DAM CA
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX	PRECIP	ACCUM PRECIP
5/16/2001	1760	15.1	17.1	8.1	8.3	7.5	8.3	150	168	42	69	0.00	1.83
5/17/2001	1810	15.6	17.2	8	8.3	7.2	8.2	154	161	38	77	0.00	1.83
5/18/2001	1950	15.4	17	7.9	8.2	7.0	7.6	152	155	42	81	0.00	1.83
5/19/2001	1710	15.6	17.9	8	8.4	7.1	8	149	155	46	82	0.00	1.83
5/20/2001	1660	15.9	17.8	8	8.3	7.1	7.8	151	154	47	88	0.00	1.83
5/21/2001	1660	16.8	18.4	8.1	8.5	6.9	8	148	154	61	91	0.00	1.83
5/22/2001	1660	16.2	18	8	8.5	6.8	8	148	153	49	109	0.00	1.83
5/23/2001	1660	17.1	18.8	8.1	8.5	6.9	8	146	151	53	97	0.00	1.83
5/24/2001	1660	17.2	19.3	8.1	8.6	6.9	8	144	147	52	93	0.00	1.83
5/25/2001	1660	17.5	19.2	8.1	8.6	6.7	7.9	142	146	55	95	0.00	1.83
5/26/2001	1660	17.9	19.6	7.9	8.5	4.1	7.4	142	145	59	92	0.02	1.85
5/27/2001	1670	18	20.3	7.8	8.5	5.6	7.5	142	145	51	80	0.00	1.85
5/28/2001	1670	17.8	19.4	7.9	8.4	6.2	7.4	142	145	39	77	0.00	1.85
5/29/2001	1670	17.9	19.5	8	8.4	6.6	7.6	141	144	36	78	0.00	1.85
5/30/2001	1670	17.8	19.7	7.8	8.3	6.5	7.5	141	143	46	94	0.00	1.85
5/31/2001	1740	18.8	19.9	7.8	8.3	6.5	7.5	141	143	58	100	0.00	1.85
6/1/2001	2070	18.6	20.7	7.9	8.4	6.6	7.4	140	142	54	84	0.00	1.85
6/2/2001	2100	18.5	19.7	7.9	8.2	6.4	7.2	140	144	46	67	0.00	1.85
6/3/2001	2090	18.1	19.2	7.8	8.1	6.7	7.3	140	142	40	65	0.00	1.85
6/4/2001	2110	17.7	18.6	7.8	8	6.6	7.2	139	143	35	77	0.02	1.87
6/5/2001	2120	17.9	18.6	7.8	8	6.5	7	139	141	50	73	0.00	1.87
6/6/2001	2110	17.6	18.9	7.8	8.1	6.6	7.1	139	141	40	81	0.00	1.87
6/7/2001	2100	17.8	19.2	7.8	8.1	6.5	7	139	141	46	88	0.00	1.87
6/8/2001	2100	18.1	19.8	7.8	8.2	6.6	7.3	140	142	49	89	0.00	1.87
6/9/2001	2090	18.1	19.5	7.8	8	6.4	7	140	155	49	86	0.00	1.87
6/10/2001	2090	18	19	7.8	8.1	6.5	7.3	140	144	45	79	0.00	1.87
6/11/2001	2100	17.8	18.7	7.7	8.1	6.2	7.2	139	144	46	79	0.00	1.87
6/12/2001	2100	18	18.9	7.9	8.4	6.7	7.8	139	146	54	73	0.00	1.87
6/13/2001	2100	17.6	19.1	7.9	8.2	7.0	7.4	139	143			0.00	1.87
6/14/2001	2100	17.7	19.4	7.9	8.3	6.9	7.6	138	142			0.00	1.87
6/15/2001	2110	17.8	19.3	7.6	8	5.8	7.4	137	142			0.00	1.87
6/16/2001	2010	17.9	19.5	7.5	7.8	5.3	7.6	136	139			0.00	1.87
6/17/2001	1750	17.9	19.6	7.4	7.7	6.9	8	132	139			0.00	1.87
6/18/2001	1670	17.7	19.2	7.4	7.5	6.9	7.6	136	138			0.00	1.87
6/19/2001	1670	18	19.7	7.3	7.6	6.7	7.8	136	139			0.00	1.87
6/20/2001	1670	18	20.1	7.4	7.6	6.6	8.1	136	138			0.00	1.87
6/21/2001	1670	18.3	20.5	7.5	7.9	6.9	8.1	136	139			0.00	1.87
6/22/2001	1660	18.5	20.5	7.5	7.8	6.9	8	136	139			0.00	1.87
6/23/2001	1660	18.7	19.9	7.5	7.8	6.9	8	135	144			0.00	1.87
6/24/2001	1660	18.6	19.8	7.5	7.8	7.0	8	135	139			0.00	1.87
6/25/2001	1660	17.9	19	7.5	7.8	6.5	7.6	137	142			0.00	1.87
6/26/2001	1670	17.5	18.4	7.6	7.8	6.7	7.6	139	150			0.02	1.89
6/27/2001	1660	16.9	18	7.5	7.7	6.3	7.4	145	153			0.00	1.89
6/28/2001	1670	17.6	19.4	7.5	7.8	7.0	8	142	155			0.00	1.89
6/29/2001	1670	18.1	19.7	7.5	7.7	7.4	8.2	142	147			0.00	1.89
6/30/2001	1680	18.5	20.4	7.6	7.9	7.3	8.3	139	144			0.00	1.89
7/1/2001	1280	18.7	20.1	7.6	7.8	6.7	8.4	138	143			0.00	1.89
7/2/2001	977	18.8	20.4	7.4	8.1	6.4	8.9	137	142			0.00	1.89
7/3/2001	977	19.2	20.3	7.4	7.9	6.2	8.2	138	140			0.00	1.89
7/4/2001	981	19.4	20.7	7.3	7.9	6.0	8.3	138	141			0.00	1.89
7/5/2001	979	19.6	22	7.3	8.1	5.9	8.3	138	140			0.00	1.89
7/6/2001	981	19.4	21.4	7.3	7.9	5.9	8.1	136	143			0.00	1.89
7/7/2001	980	19.1	20.8	7.3	8	5.1	8	136	141			0.00	1.89
7/8/2001	979	19.3	21.3	7.3	8.2	5.4	8.6	136	139			0.00	1.89
7/9/2001	977	19.6	21.7	7.4	8.2	4.9	8.4	136	139			0.00	1.89
7/10/2001	981	19.7	21.8	7.3	8.2	4.5	8.5	137	141			0.12	2.01
7/11/2001	995	20	21.1	7.3	8.1	3.5	7.8	139	143			0.01	2.02
7/12/2001	1010	19.5	21.3	7.3	8.1	4.6	8.1	138	140			0.00	2.02
7/13/2001	1010	19.7	21.8	7.4	8.3	5.0	8.4	137	139			0.00	2.02
7/14/2001	1010	19.8	22.4	7.4	8.5	4.0	8.5	136	139			0.00	2.02
7/15/2001	1010	19.9	22.1	7.5	8.4	4.5	8.4	137	141			0.00	2.02
7/16/2001	1010	20.1	21.8	7.5	8.5	4.5	8.3	137	142			0.00	2.02
7/17/2001	1010	19.7	21.6	7.6	8.5	5.2	8.5	139	144			0.00	2.02
7/18/2001	1020	19.6	21.1	7.6	8.1	3.6	8	141	145			0.00	2.02
7/19/2001	1020	19.6	20.7	7.4	7.9	4.4	7.7	142	147			0.00	2.02
7/20/2001	1020	19.5	21.5	7.4	8.1	3.8	8.7	144	152			0.00	2.02
7/21/2001	1020	19.7	21.5	7.5	7.9	3.6	8.3	144	159			0.00	2.02
7/22/2001	1020	19.7	21.2	7.5	8	4.4	8.1	140	149			0.00	2.02
7/23/2001	1010	19.8	21.8	7.6	8.1	3.0	8.7	141	148			0.00	2.02
7/24/2001	1010	20	22	7.6	8.4	3.3	8.8					0.00	2.02
7/25/2001	1020	19.6	22.2	7.7	9	4.3	8.4					0.00	2.02
7/26/2001	1020	20.1	21.9	8.2	9	6.2	8.3	141	143			0.00	2.02
7/27/2001	1020	20.2	22.2	8.3	9.2	6.6	9.5	142	144			0.00	2.02
7/28/2001	1020	20	22	7.9	9	6.0	9.2	142	148			0.00	2.02
7/29/2001	1020	20.1	21.4	8.2	9.1	6.9	8.8	142	149			0.00	2.02
7/30/2001	1020	20.3	22	8.5	9.1	7.0	10	140	151			0.00	2.02

KLAMATH R BL IRON GATE DAM CA
 DISCHARGE, CUBIC FEET PER SECOND; TEMPERATURE, WATER (DEG. C); PH, WATER, WHOLE, FIELD, STANDARD UNITS;
 OXYGEN DISSOLVED (MG/L);SPECIFIC CONDUCTANCE (MICROSIEMENS/CM AT 25 DEG. C); TEMPERATURE, AIR, DEGREES FAHRENHEIT
 START="20001001" END "20010930"

DATE	DC MEAN	WT MIN	WT MAX	pH MIN	pH MAX	DO MIN	DO MAX	CON MIN	CON MAX	AT MIN	AT MAX	PRECIP	ACCUM PRECIP
7/31/2001	1010	19.8	21.3	8.2	8.7	4.7	7.6	141	144			0.00	2.02
8/1/2001	1010	20	21.2	8.2	8.7	3.2	7.3	140	145			0.00	2.02
8/2/2001	1020	19.5	20.9	7.3	8.5	3.1	6.8	141	146			0.00	2.02
8/3/2001	1020	19.5	21	7.5	8.9			141	144			0.00	2.02
8/4/2001	1020	20	20.8	8.1	8.8			142	145			0.00	2.02
8/5/2001	1020	19.8	21	7.9	8.7			143	146			0.00	2.02
8/6/2001	1020	19.9	21.3	8.2	8.9			142	149			0.00	2.02
8/7/2001	1020	20.2	21.5	8.2	8.7			143	147			0.00	2.02
8/8/2001	1020	20.4	21.6	8.2	8.7			144	153			0.00	2.02
8/9/2001	1030	19.1	21.5	8	8.8			142	151			0.00	2.02
8/10/2001	1030	20.4	21.6	8.2	8.8	6.1	7.7	141	145			0.00	2.02
8/11/2001	1030	20.2	21.6	8.2	8.9	5.7	7.8	141	144			0.00	2.02
8/12/2001	1030	19.9	21.3	7.5	8.8	4.5	7.3	142	146			0.00	2.02
8/13/2001	1030	20.1	21.3	7.8	8.9	4.9	7.4	142	146			0.00	2.02
8/14/2001	1030	20.1	21.5	7.9	9	5.2	7.6	142	146			0.00	2.02
8/15/2001	1030	20.6	21.9	8.6	9	6.3	7.5	141	146			0.00	2.02
8/16/2001	1020	20.6	22.2	8.4	9.1	5.9	7.7	142	145			0.00	2.02
8/17/2001	1020	20.6	22.2	8.3	9	5.4	7.2	144	149			0.00	2.02
8/18/2001	1020	20.5	22.5	8.1	9.1	5.2	8	143	149			0.00	2.02
8/19/2001	1030	20.5	22	8.5	9	5.6	6.7	145	147			0.00	2.02
8/20/2001	1030	20.6	22.3	8.6	9.3	5.4	8.4	142	147			0.00	2.02
8/21/2001	1020	20.4	21.4	8.4	9	5.6	7	144	147			0.00	2.02
8/22/2001	1030	20.2	21	7.8	8.8	4.5	6.5	147	152			0.00	2.02
8/23/2001	1030	19.9	20.8	7.8	8.9	4.5	7.2	143	154			0.00	2.02
8/24/2001	1020	19.8	21	8.2	8.8	5.8	7.3	144	149			0.00	2.02
8/25/2001	1020	19.8	21	8	8.6	5.6	7.3	145	149			0.00	2.02
8/26/2001	1020	20	21.4	7.9	8.9	4.5	8.1	145	150			0.00	2.02
8/27/2001	1020	20.2	21.7	8.1	8.9	6.0	8.4	148	167			0.00	2.02
8/28/2001	1020	20.1	21.5	8.1	8.7	6.0	8.3	157	171			0.00	2.02
8/29/2001	1020	20.1	21.5	8	8.4	6.3	7.6	150	175			0.00	2.02
8/30/2001	1020	20.3	21.7	7.8	8.7	6.2	8.6	148	153			0.00	2.02
8/31/2001	1020	20.2	21.4	7.8	8.6	6.1	8	148	152			0.00	2.02
9/1/2001	1020	20.1	21.4	7.7	8.4	6.2	7.7	150	153			0.00	2.02
9/2/2001	1030	20.1	20.8	7.4	8.2	5.5	7.2	150	153			0.00	2.02
9/3/2001	1030	20.1	21	7.8	8.6	6.6	8.3	151	156			0.00	2.02
9/4/2001	1030	19.8	21.2	7.7	8.8	6.3	8.6	148	157			0.00	2.02
9/5/2001	1030	19.9	21.2	8	9	6.3	9.8	148	151			0.00	2.02
9/6/2001	1020	19.4	20.4	7.9	8.5	5.9	7.8	149	155			0.00	2.02
9/7/2001	1030	19.1	20.7	7.4	8.6	5.1	8.2	148	152			0.00	2.02
9/8/2001	1030	19.2	20.2	7.8	8.4	6.3	7.8	150	154			0.24	2.26
9/9/2001	1030	18.6	19.6	7.3	7.8	5.2	6.5	151	161			0.00	2.26
9/10/2001	1030	18.6	19.5	7.2	7.7	4.8	6.8	152	154			0.00	2.26
9/11/2001	1030	18.2	18.7	7.2	7.5	5.1	6.5	152	156	46	87	0.00	2.26
9/12/2001	1020	18.1	19	7.3	7.5	5.5	6.6	152	156	56	94	0.00	2.26
9/13/2001	1020	18.4	19.2	7.3	7.6	5.9	7.1	155	157	61	84	0.00	2.26
9/14/2001	1020	18.1	19.6	7.3	7.7	5.4	7.9	155	158	48	95	0.00	2.26
9/15/2001	1020	18.4	19.5	7.2	7.5	5.8	6.8	153	162	68	88	0.00	2.26
9/16/2001	1030	18.4	19.9	7.3	7.9	5.4	7.8	154	156	52	88	0.00	2.26
9/17/2001	1030	18.1	19.4	7.2	7.5	5.7	6.9	155	157	47	99	0.00	2.26
9/18/2001	1030	18.2	19.5	7.1	7.6	5.6	7.8	155	157	46	94	0.00	2.26
9/19/2001	1030	18.1	19.2	7.2	7.4	5.4	6.8	148	157	44	94	0.00	2.26
9/20/2001	1030	18	19.1	7.1	7.3	5.4	6.7	156	157	42	96	0.00	2.26
9/21/2001	1030	17.8	19	7.1	7.3	5.4	6.7	156	159	42	95	0.00	2.26
9/22/2001	1030	17.6	18.8	7.1	7.3	5.2	6.6	157	160	42	99	0.00	2.26
9/23/2001	1030	17.5	18.5	6.9	7.3	3.6	6.9	156	160	47	97	0.00	2.26
9/24/2001	1020	17.3	18.4	6.9	7.3	3.6	6.6	156	159	53	98	0.13	2.39
9/25/2001	1040	16.9	18.1	7	7.2	4.2	6.4	159	177	53	94	0.13	2.52
9/26/2001	1030	17	18	7.1	7.3	5.4	6.9	160	168	50	91	0.01	2.53
9/27/2001	1040	17	18	7.1	7.3	5.6	6.9	158	161	48	94	0.00	2.53
9/28/2001	1040	16.7	17.8	7.1	7.2	5.3	6.7	157	159	40	83	0.00	2.53
9/29/2001	1030	16.4	17.8	7	7.2	5.0	6.6	157	158	38	92	0.00	2.53
9/30/2001	1040	16.3	17.9	7	7.2	5.0	6.5	156	162	42	93	0.00	2.53