

**Karuk Community Health Clinic**

64236 Second Avenue  
Post Office Box 316  
Happy Camp, CA 96039  
Phone: (530) 493-5257  
Fax: (530) 493-5270

**Karuk Tribe**



**Administrative Office**

Phone: (530) 493-1600 • Fax: (530) 493-5322  
64236 Second Avenue • Post Office Box 1016 • Happy Camp, CA 96039

**Karuk Dental Clinic**

64236 Second Avenue  
Post Office Box 1016  
Happy Camp, CA 96039  
Phone: (530) 493-2201  
Fax: (530) 493-5364

**Request for Proposals**

**21-RFP-003**

**For More Information:** Richard Sandoval (530)643-1699 rsandoval@karuk.us

**Proposal Deadline:** November 30<sup>th</sup>, 2020 no later than 4:00 PM (Pacific Standard Time)

The Karuk Tribe requests proposals for the following Scope of Work required for Fuels treatment in the Patterson Project area, Units 2202, 2214, 2231, 2240, 2254, 2261, 2271, 2275, 2282, 2285, 2288, 2289 and in the Ti Bar area 2163, 2162, 2155, 2149, 2147, 2133, 2130, 2126.  
See Attached Map & Scope of Work.

**Task One**

1.

<b>2163</b>	<b>21.68</b>
<b>2162</b>	<b>9.22</b>
<b>2155</b>	<b>7.87</b>
<b>2149</b>	<b>8.11</b>
<b>2147</b>	<b>18.20</b>
<b>2133</b>	<b>3.10</b>
<b>2130</b>	<b>6.53</b>
<b>2126</b>	<b>19.66</b>
<b>2202</b>	<b>12.13</b>
<b>2214</b>	<b>5.55</b>
<b>2231</b>	<b>2.15</b>
<b>2240</b>	<b>28.03</b>
<b>2254</b>	<b>11.33</b>
<b>2261</b>	<b>6.31</b>
<b>2271</b>	<b>7.42</b>
<b>2275</b>	<b>1.62</b>
<b>2282</b>	<b>3.62</b>
<b>2285</b>	<b>6.51</b>
<b>2288</b>	<b>12.42</b>
<b>2289</b>	<b>2.36</b>

**193.82**

Notify Richard Sandoval for inspection at 530-643-1699 rsandoval@karuk.us

**Responses to this Request for Proposals should include the following:**

- 1) A statement of qualifications, including relevant project history.
- 2) A lump sum price, with attached price page. Line item charges

3) Names and telephone numbers of three client references.

**Responses must be hand, mail, or email delivered by November 30<sup>th</sup>, 2020 no later than 4:00 p.m. (Pacific Standard Time) to:**

Emma Lee Perez, Contract Compliance Specialist  
Karuk Tribe – Administration Office  
64236 Second Avenue  
P.O. Box 1016  
Happy Camp, CA 96039  
Faxes will NOT be accepted  
Emails will be accepted at: emmaleeperez@karuk.us

**Indian Preference will apply in the selection process in accordance with the Tribal Employment Rights Ordinance (TERO) and/or Indian Preference Act of 1934 (Title 25, USC, Section 47), based on funding source requirements.**

**All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.**

**If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).**

**Price Page for 21-RFP-003:**

**Proposal Submitted by:**

**Name:** \_\_\_\_\_ **Phone Number:** \_\_\_\_\_

**E-mail:** \_\_\_\_\_ **Fax Number:** \_\_\_\_\_

**Amount requested to be compensated for each task:**

- Task: \_\_\_\_\_
- Task: \_\_\_\_\_
- Task: \_\_\_\_\_

**List previous experience below:**

---

---

**List up to three references with phone numbers below:**

- 1) \_\_\_\_\_
- 2) \_\_\_\_\_
- 3) \_\_\_\_\_

**Other Comments:**

---

---

Indian Preference will apply in the selection process in accordance with the Indian Preference Act of 1934 (Title 25, USC, Section 47) and/or the Tribal Employment Rights Ordinance (TERO), based on funding source requirements.

All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.

If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).

**Price Page for 21-RFP-003:**

**Proposal Submitted by:**

**Name:** \_\_\_\_\_ **Phone Number:** \_\_\_\_\_

**E-mail:** \_\_\_\_\_ **Fax Number:** \_\_\_\_\_

**Lump sum amount requested to be compensated for:** \_\_\_\_\_

**Provide hourly rates:**

**Provide travel expense rates:**

## Scope of Work

### Task/Deliverable

### Completion Date

#### Forestry Technician Resources

Provide Forestry Technician personnel and equipment to manually Thin, Prune and Pile hazardous fuels in the Some bar project area.

\*\*Cutters should abide by the following species preference; Black Oak, White Oak, Sugar pine, Dogwood, Yew, Cedar, Western Hemlock, Madrone, Chinquapin, Live Oak, Maple, Oregon Ash, bay (pepperwood), then tan oak.

Cooperator will cut most hardwoods, brush and conifers up to 6" DBH (leaving residuals in an approximate 15'x15' spacing or greater). Limb residual conifer and hardwoods to shoulder height. Favor the retention of species in the order listed above. Some discretion can be applied to the 6" dbh limit and thinning increased to 8" dbh to facilitate prescribed burning in select fuel treatment/underburn areas as directed by fuels staff.

#### Specific Work Requirement:

1. Hardwoods, brush and conifers stump height no more than 4 inches from the ground as measured on the uphill side
2. All live limbs shall be completely severed from the remaining stump/bole of tree
3. Stumps shall not be cut at an acute angle
4. Limbing will be performed in such a way that no damage to bowl of limbed trees will occur
5. On hardwoods such as tan oak and chinquapin where there are multiple stump sprouts, thin down to the healthiest largest three sprouts per clump.
6. Slash shall not lean against or suspended on uncut vegetation
7. Leave dead and down logs greater than 6" diameter on the larger end and buck to approximately 6 ft in length (leave logs)

#### Beginning in Units

2163	21.68
2162	9.22
2155	7.87
2149	8.11
2147	18.20
2133	3.10
2130	6.53
2126	19.66
2202	12.13
2214	5.55
2231	2.15
2240	28.03
2254	11.33
2261	6.31
2271	7.42
2275	1.62
2282	3.62

2285	6.51
2288	12.42
2289	2.36

193.82

8. Except for leave logs, all slash will be placed in manageable tight compact piles for burning (see diagram) approximately 5-6ft in diameter and no less than 4 ft in height, in areas void of leave trees larger piles or wind rows can be built
9. Within 4 feet of each pile, all dead and down woody debris up to 6" in diameter shall be cut into approximately 4 ft lengths, gathered and piled
10. To minimize scorch, all piles should be built at least 6 feet away from boundaries, leave trees, snags, stumps or leave logs.
11. Piles should be covered with at two 4'x6' pieces of thick craft paper wax side up. The covering should come down at least half the height of the pile and ensure that material is piled on top to prevent the craft paper being blown off. Paper should be placed at least  $\frac{3}{4}$  of the height of the pile.
12. Piles shall not be built on stumps or down logs.
13. Must ad hear to all NEPA Documents.
14. All Invoices will be submitted no later than 30 days after completion.
15. Units with LOPS must be completed first
16. Work to be started on Units will be November 30,2020
17. Units must be completed No later than January 9, 2021

## Prescriptions for Fuels Reductions:

\*\*Cutters should abide by the following species preference; Black Oak, White Oak, Sugar pine, Dogwood, Yew, Cedar, Western Hemlock, Madrone, Chinquapin, Live Oak, Maple, Oregon Ash, bay (pepperwood), then tan oak.

Contractor will cut most brush and conifers less than 4" DBH in units 2162,2155,2149,2288 and all other units will be up to 8" (leaving residuals in an approximate 15'x15' spacing or greater) and limb residual conifer and hardwoods to shoulder height. Favor the retention of species in order listed above.


### Specific Work Requirement:

- Hardwoods, brush and conifers stump height no more than 4 inches from the ground as measured on the uphill side
- All live limbs shall be completely severed from the remaining stump/bole of tree
- Stumps shall not be cut at an acute angle
- Limbing will be performed in such a way that no damage to bowl of limbed trees will occur
- On hardwoods such as tan oak and chinquapin where there are multiple stump sprouts, thin down to the healthiest largest three sprouts per clump.
- Slash shall not lean against or suspended on uncut vegetation
- Leave dead and down logs greater than 6" diameter on the larger end and buck to approximately 6 ft in length (leave logs)
- Except for leave logs, all slash will be placed in manageable tight compact piles for burning (see diagram) approximately 5-6ft in diameter and no less than 4 ft in height, in areas void of leave trees larger piles or wind rows can be built
- Within 4 feet of each pile, all dead and down woody debris up to 6" in diameter shall be cut into approximately 4 ft lengths, gathered and piled
- To minimize scorch, all piles should be built at least 6 feet away from boundaries, leave trees, snags, stumps or leave logs.
- Piles should be covered with at two 4'x6' pieces of thick craft paper wax side up. The covering should come down at least half the height of the pile and ensure that material is piled on top to prevent the craft paper being blown off. Paper should be placed at least  $\frac{3}{4}$  of the height of the pile.
- Piles shall not be built on stumps or down logs

FocalArea	ID	NSO LOPs	EEZ	Acres	Cultural Historic Monitor Needed	Cultural Fire Sensitive	Manual Treatment Summary
Ti Bar	2163	YES	YES	21.68	Yes	Yes	Sensitive Area.
Ti Bar	2162	YES	YES	9.22	No	No	Do not cut vegetation greater than 4" dbh in this area only. Sensitive plant buffer flagged on the ground. Remove fuels from within buffer. Do not place handpiles within buffer. Sensitive Area.
Ti Bar	2155	NO	NO	7.87	No	No	High quality NSO habitat in unit. Do not cut vegetation greater than 4" dbh in this area only.
Ti Bar	2149	YES	NO	8.11	No	No	High quality NSO habitat in unit. Do not cut vegetation greater than 4" dbh.
Ti Bar	2147	YES	NO	18.20	Yes	No	Sensitive Area.
Ti Bar	2133	YES	NO	3.10	No	No	Adjacent to private property.
Ti Bar	2130	NO	YES	6.53	No	No	
Ti Bar	2126	YES	NO	19.66	Yes	No	Adjacent to private property. Sensitive Area.
				94.37			
FocalArea	ID	NSO LOPs	EEZ	Acres	Cultural Historic Monitor Needed	Cultural Fire Sensitive	Manual Treatment Summary
Patterson	2202	YES	NO	12.13	Yes	No	Sensitive Area.
Patterson	2214			5.55	No	No	
Patterson	2231	NO	NO	2.15	No	No	
Patterson	2240			28.03	No	No	
Patterson	2254			11.33	No	No	
Patterson	2261	NO	NO	6.31	Yes	No	Sensitive Area.
Patterson	2271	NO	NO	7.42	Yes	Yes	Sensitive Area.
Patterson	2275	NO	NO	1.62	No	No	Adjacent to private property.
Patterson	2282	NO	NO	3.62	No	No	
Patterson	2285	YES	NO	6.51	Yes	Yes	Sensitive Area.
Patterson	2288	YES	NO	12.42	Yes	No	Do not cut vegetation greater than 4" dbh in this area only. Sensitive Area.
Patterson	2289	NO	NO	2.36	No	No	
				99.45			
				193.82			



~5 feet  
tall



~5-6 feet wide

Handpile Example  
End View of Handpile

