Karuk Community Health Clinic

64236 Second Avenue Post Office Box 316 Happy Camp, CA 96039 Phone: (530) 493-5257 Fax: (530) 493-5270



Administrative Office

Phone: (530) 493-1600 • Fax: (530) 493-5322 64236 Second Avenue • Post Office Box 1016 • Happy Camp, CA 96039

Karuk Dental Clinic

64236 Second Avenue Post Office Box 1016 Happy Camp, CA 96039 Phone: (530) 493-2201 Fax: (530) 493-5364

Request for Proposals 21-RFP-020

For More Information: Richard Sandoval (530)643-1699 rsandoval@karuk.us **Proposal Deadline:** Monday, April 12, 2021 no later than 5:00 PM (Pacific Standard Time)

The Karuk Tribe requests proposals for the following Scope of Work required for Fuels treatment in the Rogers Project area. See Attached Map & Scope of Work.

Task One

1.	
2300	61.12
2301	12.44
2308	21.30
2311	10.35
2312	6.52
2313	4.77
2314	36.89
2315	15.92
2316	4.37
2317	15.65
2318	6.42
2319	16.83
2324	18.35
2326	13.92
2355	7.02

251.87

Notify Richard Sandoval for inspection at 530-643-1699 or 530-627-3446 ext. 3018 rsandoval@karuk.us

Responses to this Request for Proposals should include the following:

1) A statement of qualifications, including relevant project history.

- 2) A lump sum price, with attached price page. Line item charges
- 3) Names and telephone numbers of three client references.

Responses must be hand, mail, or email delivered by Monday, April 12, 2021 no later than 5:00 PM (Pacific Standard Time). (Pacific Standard Time) to:

Emma Lee Perez, Contract Compliance Specialist Karuk Tribe – Administration Office 64236 Second Avenue P.O. Box 1016 Happy Camp, CA 96039 Faxes will NOT be accepted Emails will be accepted at: emmaleeperez@karuk.us

Indian Preference will apply in the selection process in accordance with the Tribal Employment Rights Ordinance (TERO) and/or Indian Preference Act of 1934 (Title 25, USC, Section 47), based on funding source requirements.

All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.

If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).

Price Page for 21-RFP-020:	
Proposal Submitted by:	
Name:	Phone Number:
E-mail:	Fax Number:
Amount requested to be compen	sated for each task:
• Task:	
• Task:	
• Task:	
List previous experience below:	
List up to three references with	phone numbers below:
1)	
2)	
Other Comments:	

Indian Preference will apply in the selection process in accordance with the Indian Preference Act of 1934 (Title 25, USC, Section 47) and/or the Tribal Employment Rights Ordinance (TERO), based on funding source requirements.

All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.

If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).

Price Page for 21-RFP-020:	
Proposal Submitted by:	
Name:	Phone Number:
E-mail:	Fax Number:
Lump sum amount requeste	d to be compensated for:
Provide hourly rates:	
Provide travel expense rates	
List up to three references w	ith phone numbers below:
1)	
2)	
3)	
Other Comments:	

Indian Preference will apply in the selection process in accordance with the Indian Preference Act of 1934 (Title 25, USC, Section 47) and/or the Tribal Employment Rights Ordinance (TERO), based on funding source requirements.

All contracts that exceed \$2,500.00 shall be subject to a two percent (2%) Tribal Employment Rights Fee in accordance with the TERO Ordinance.

If applicable, construction contracts in excess of \$2,000, when required by Federal grant program legislation, are subject to compliance with the Davis-Bacon Act (40 USC 276a to a-7) as supplemented by Department of Labor regulations (29 CFR part 5).

Scope of Work			
Task/Deliverable		Completion Date	
Forestry Technician Resources		Beginning in Units	
Provide Forestry Technician personnel and equipment to manually Thin, Prune and Pile hazardous fuels in the Rogers project area.	2301 2308 2311 2312	12.44 21.30 10.35 6.52	
**Cutters should abide by the following species preference; Black Oak, White Oak, Sugar pine, Dogwood, Yew, Cedar, Western Hemlock, Madrone, Chinquapin, Live Oak, Maple, Oregon Ash, bay (pepperwood), then tan oak.	2312 2313 2314 2315 2316	4.77 36.89 15.92 4.37	
Cooperator will cut most hardwoods, brush and conifers up to 6" DBH (leaving residuals in an approximate 15'x15' spacing or greater). Limb residual conifer and hardwoods to shoulder height. Favor the retention of species in the order listed above. Some discretion can be applied to the 6" dbh limit and thinning increased to 8" dbh to facilitate prescribed burning in select fuel treatment/underburn areas as directed by fuels staff.	2317 2318 2319 2324 2326 2355	15.65 6.42 16.83 18.35 13.92 7.02	
Specific Work Requirement: 1. Hardwoods, brush and conifers stump height no more than 4 inches from the ground as measured on the uphill side			
 All live limbs shall be completely severed from the remaining stump/bole of tree Stumps shall not be cut at an acute angle Limbing will be performed in such a way that no damage to bowl of limbed trees will occur 			
5. On hardwoods such as tan oak and chinquapin where there are multiple stump sprouts, thin down to the healthiest largest three sprouts per clump.	25	1.87	
6. Slash shall not lean against or suspended on uncut vegetation7. Leave dead and down logs greater than 6" diameter on the larger end and buck to approximately 6 ft in length (leave logs)			

- 8. Except for leave logs, all slash will be placed in manageable tight compact piles for burning (see diagram) approximately 5-6ft in diameter and no less than 4 ft in height, in areas void of leave trees larger piles or wind rows can be built
- 9. Within 4 feet of each pile, all dead and down woody debris up to 6" in diameter shall be cut into approximately 4 ft lengths, gathered and piled
- 10. To minimize scorch, all piles should be built at least 6 feet away from boundaries, leave trees, snags, stumps or leave logs.
- 11. Piles should be covered with at two 4'x6' pieces of thick craft paper wax side up. The covering should come down at least half the height of the pile and ensure that material is piled on top to prevent the craft paper being blown off. Paper should be placed at least ¾ of the height of the pile.
- 12. Piles shall not be built on stumps or down logs.
- 13. Must ad hear to all NEPA Documents.
- 14. All Invoices will be submitted no later than 30 days after completion.
- 15. Units with LOPS must be completed first